

Kubota



KUBOTA DIESEL TRACTOR

B

B3000HSDCC New Factory Cab Tractor

Kubota's versatile new B3000 Factory Cab Tractor delivers the perfect blend of power and performance to take on any task.



*This information is sourced from overseas and may not necessarily apply locally. It is essential that you confirm specifications and other information with your local Kubota dealer.

Kubota's all-weather B3000HS power, and versatility to take

Kubota's new B3000HSDCC Factory Cab Tractor strikes an ideal balance between power and versatility. Boasting a spacious air-conditioned cab, a powerful 30HP engine, 23 PTO HP, and a smooth 3-range HST, it is tough enough to take on heavy-duty jobs, and small enough to manage more precise tasks in comfort regardless of the season or weather. For improved operation, the B3000 cab tractors feature an easy-to-read dash panel, mid PTO, tilt-steering and much more to get the job done.

Diesel Engine

The B3000 cab model tractor features a smooth-running 30HP, 4-cylinder, liquid-cooled diesel engine, with Kubota's E-TVCS (three-vortex combustion system) for increased power and high torque.



Mechanical cruise control

To keep your working speed constant, simply set the infinite mechanical cruise control lever to your desired speed—and go.

Hydraulic Control Systems

B3000HSDCC's quarter inching valve and position control valve provide easier 3-point hitch control with adjustments in smaller increments which are often required when attaching/detaching implements or when performing sensitive jobs.



**SDCC tractor has the size,
on jobs of all sizes.**



Comfortable factory cab

The B3000 cab model's powerful heater and air conditioner combined with increased insulation from outside elements ensure you'll complete your work in comfort year around.

Cab Standards:

- Rear wiper
- Armrest
- Front work light
- Rear defogger with 60A alternator

Cab options:

- Halogen rear work lights
- Radio/CD or radio
- Radio mounting kit
(Speaker included)

KUBOTA DIESEL TRACTOR
B3000HSDCC

Specifications

Model	B3000HSDCC	
Engine		
Type	E-TVCS, liquid cooled, 4-cylinder diesel	
Make, Model	Kubota V1505-E3-D21-Q	
PTO horsepower	HP (kW)	23.0 (17.1)
Engine gross horsepower	HP (kW)	30.0 (22.3)
Rated RPM	rpm	2600
Bore and stroke	mm	78 × 78.4
Displacement	cc	1498
Air cleaner	Dual paper element	
Lubrication	Forced lubrication	
Cooling system	Pressurized radiator	
Radiator fan	Radial air flow	
Capacities		
Fuel tank	ℓ	31.0
Cooling system	ℓ	5.2
Engine oil	ℓ	4.1
Transmission case	ℓ	15.0
Drive train		
Clutch	N / A	
Transmission	HST (3 ranges)	
Differential lock	Standard	
Final drive	Spur gear	
Brake	Multi-plate wet disc	
PTO		
Type	Independent	
Rear	rpm	540
Mid	rpm	2500
Hydraulics		
Type	Open center	
Pump	Dual pump	
Total pump output	ℓ/min.	34.5
Hydraulic outlet	Front outlet, Rear outlet	
3-point hitch	Category I	
Hydraulic control system	Position control valve	
Lift capacity at lift point	kg	970
24" behind LP	kg	760
Steering	Hydraulic power steering	
Standard tire size		
Front (Farm)	7-12	
Rear (Farm)	12.4-16	
Traveling speeds (at rated engine rpm)		
Forward	km/h	0-19.5
Reverse	km/h	0-15.5
Dimensions		
Overall length (w/o 3P)	mm	2640
Overall width (min. tread)	mm	1365
Overall height	mm	2150
Wheelbase	mm	1666
Ground clearance	mm	370
Turning radius with brake	m	2.1
Weight	kg	1030
Other Features		
Arm Rest	Std.	
Front Work Light	Std.	
3pt-hitch Lower Link	Telescopic	
3pt-hitch Lower Link stabilizer	Telescopic	
3pt-hitch Lift Rod (Right)	Ratchet Type	

The company reserves the right to change the above specifications without notice. This brochure is for descriptive purposes only.

Please contact your local Kubota dealer for warranty information. For your safety, Kubota strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications. For complete operational information, the operator's manual should be consulted.

©2011 Kubota Corporation



KUBOTA Tractor Australia Pty Ltd

25-29 Permas Way, TRUGANINA Vic, 3029
 Freecall: 1800 334 653
 Email: sales@kubota.com.au

Web Site: <http://www.kubota.com.au>

CB Norwood Distributors Ltd

PO Box 1265, 888 Tremaine Avenue,
 Palmerston North 0800 KUBOTA
 Tel: 06 356 4920 Fax: 06 356 4939

Web Site: <http://www.kubota.co.nz>